

From: ["Saric, James" </O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE:GROUP \(FYDIBOHF23SPDLT\)/CN=RECIPIENTS/CN=1563015DBEEE49A1AEA479C55929F0D1-JSARIC>](mailto:Saric.James@epa.gov)
To: Jeff.Keiser@CH2M.com
BUCHOLTZP@michigan.gov
CC:
Date: 6/17/2013 9:31:11 AM
Subject: RE: Couple Things

I am wide open Wednesday as well. How about our normal time?

Jim

From: Jeff.Keiser@CH2M.com [mailto:Jeff.Keiser@CH2M.com]
Sent: Monday, June 17, 2013 9:14 AM
To: Saric, James; BUCHOLTZP@michigan.gov
Subject: RE: Couple Things

What time works for everyone on Wed? I can make myself available at any time.

JK

Jeff Keiser
Project Manager
135 S. 84th Street, Suite 400
Milwaukee, WI 53214
Direct – 414 847-0382
e-Fax -- 414 454-8766
Mobile 414 467-4893
www.jkeiser@ch2m.com
Solutions without Boundaries

From: Saric, James [mailto:saric.james@epa.gov]
Sent: Monday, June 17, 2013 8:51 AM
To: Bucholtz, Paul (DEQ); Keiser, Jeff/MKE
Subject: Couple Things

I am going to send the Area 4 Work Plan approval letter out today making note that EPA will determine if sampling for Non-PCB constituents will be necessary after reviewing the Area 2 RI, the non-PCB white paper and the Area 3 RI non-PCB data. Also, although use of the high water mark may be acceptable for determining aquatic versus terrestrial environments EPA will ultimately approve that decision. Paul, let me know if you have any objections or other major issues.

Second, I am attending a meeting in Plainwell tomorrow regarding dam removal issues with GLNPO. I believe Jeff may be attending as well. So, no call on Tuesday.

Lets all try and have a conference call on Wednesday to catch up. I think we all need to get our teams to start reviewing the Area 3 work plan that we just received for residential sampling additional Area 3 RI field sampling and non-PCB sampling. They need to get in the field sooner rather than later as the Area 3 RI report is due in November.

Jim